



# March 2018



City of Sublimity  
245 NW Johnson St.  
Sublimity, OR 97385  
503-769-5475

## UPCOMING MEETINGS:

City Council Monday, March 12th 7:00PM

Planning Commission, Monday, March 5th 7:00 PM at Sublimity Fire Hall

PUBLIC HEARING : SUB17-02/VAR17-03/VAR17-04

&

Monday, March 26th 7:00 PM

### Dog Reminder

A reminder to citizens that it is the responsibility of the pet owner to clean up after your dog when you are out and about. Mutt Mitts are available in the park.

### Reminder

Park rentals are now available for the summer months. Visit City Hall for a reservation form and be sure to bring \$50.00 to hold your spot.



Thank you to the Sublimity Fire District for allowing the City to hold their February & March Planning Commission Meetings at the Fire Hall. It is greatly appreciated!

### **BACKFLOW TESTING REMINDER FOR UNDERGROUND SPRINKLES**

**A reminder that it is required by both State and Local laws to have your backflow assembly tested annually.**

Now is a good time to start thinking about getting an Inspection scheduled for your home. If you have a backflow prevention assembly (lawn sprinkler system) on your property, please do your part to ensure a safe drinking water supply for yourself and everyone in Sublimity. For a list of current certified Backflow Assembly Testers for the State of Oregon, please contact City Hall during normal business hours at 503-769-5475.

### **Garage Sale Permit Reminder**

A reminder that in order to have a garage sale, you must first have a garage sale permit. (2 allowed per year) Permits are available at City Hall during normal business hours for \$3.00.

Did you know that Sublimity has a museum?

**St. Boniface Community Archives and Museum** is located at 371 SE Main St. in the old convent building North of St. Boniface Church.

Open from 9:00 AM—Noon on the 1st Tuesday of each month, or by appointment.

Coffee and cookies are provided and it is FREE to the public.

You can schedule an appointment by calling or texting Charlene at 503-508-0312.